

[Event Manager](#) | [Clipboard](#) | [Help](#) | [E-mail Page](#) | [Hot Links](#) | [Copy Page](#)[Recently Accessed](#) | Search: [Home](#) | [Product](#) | [Change](#) | [Library](#) | [Organization](#) | [Site](#)

|         |                |          |       |           |         |           |
|---------|----------------|----------|-------|-----------|---------|-----------|
| Folders | Administrators | Profiles | Types | Templates | Reports | Utilities |
|---------|----------------|----------|-------|-----------|---------|-----------|

Site

Context:  Search within preferences:

| Preference Manager                                    |  | Current View: <div>Standard</div> |  |
|---|--|-----------------------------------|--|
| <div>Expand Collapse</div>                            |  |                                   |  |
| Name  |  | Value                             | Description  |
| Attachments   |  |                                   |  |
| Default File Path                                     |  |                                   | Specifies a default directory for uploading and do... <a href="#">More</a> |
| File Download Behavior                                |  | Always ask whether to ope...      | Determines whether downloaded files are opened or ... <a href="#">More</a> |
| File Download Mechanism                               |  | Use basic browser functio...      | Determines how to download files from Windchill.                           |
| File Upload Mechanism                                 |  | Use Java applet functiona...      | Determines how to upload files to Windchill.                               |
| Java Console Debugging Information Display            |  | Java Console debugging in...      | Determines whether Java Console will display debug... <a href="#">More</a> |
| Optional Attributes                                   |  |                                   |  |
| Attachment Comments                                   |  | No                                | Determines whether the <B>Comments</B> attribute i... <a href="#">More</a> |
| Authored By   |  | No                                | Determines whether the <B>Authored By</B> attribut... <a href="#">More</a> |
| Externally Distributable                              |  | No                                | Determines whether the <B>Externally Distributable... <a href="#">More</a> |
| File Version  |  | No                                | Determines whether the <B>File Version</B> attribu... <a href="#">More</a> |
| Last Authored   |  | No                                | Determines whether the <B>Last Authored</B> attrib... <a href="#">More</a> |
| Sort Number   |  | No                                | Determines whether the <B>Sort Number</B> attribut... <a href="#">More</a> |
| Tool Name   |  | No                                | Determines whether the <B>Tool Name</B> attribute ... <a href="#">More</a> |
| Tool Version  |  | No                                | Determines whether the <B>Tool Version</B> attribu... <a href="#">More</a> |
| Primary Content Enforcement                           |  | Primary content is always...      | Sets the default behavior for primary content enfo... <a href="#">More</a> |
| Attribute Handling                                    |  |                                   |  |
| Boolean Style   |  | Buttons                           | UI Style for boolean attributes  |
| Default Value Display Mode                            |  | Pre-populate                      | Method of populating the input field with the defa... <a href="#">More</a> |
| Display length of attribute values in information ... |  | 30                                | This determines the length at which a value will b... <a href="#">More</a> |
| Display length of attribute values in tables          |  | 30                                | This determines the number of the characters of th... <a href="#">More</a> |
| Ignore URL values in strings                          |  | No                                | Ignore URL values found in a string  |
| Local Time Zone                                       |  | (GMT+01:00) Brussels, Ber...      | The local time-zone of the user. The date and time... <a href="#">More</a> |
| Measurement system.                                   |  | SI                                | Measurement system to use when displaying attribut... <a href="#">More</a> |
| Selection List Style                                  |  | Dropdown List                     | UI Style for selection lists   |
| String Length Threshold For Multiline Input           |  | 60                                | Threshold for determining whether the input field ... <a href="#">More</a> |
| Change Management                                     |  |                                   |  |
| Automatic Change Notice Creation                      |  | Yes                               | Allow Automatic creation of change notices from th... <a href="#">More</a> |
| Change Baseline Report Display                        |  | No                                | Include the Change Baseline report in the list of ... <a href="#">More</a> |
| Change Information Propagation                        |  | Yes                               | Used to enable propagation of data between change ... <a href="#">More</a> |
| Change Modification Tracking                          |  | No                                | Enables tracking of modifications made to change o... <a href="#">More</a> |
| Change Notice without Change Request                  |  | No                                | Allows creating a change notice without a change r... <a href="#">More</a> |
| Change Request to Change Notice Cardinality           |  | No                                | Allows users to create many to many relationships ... <a href="#">More</a> |
| Change Request to Problem Report Cardinality          |  | No                                | Allows users to create many to many relationships ... <a href="#">More</a> |
| Default Change Task Name                              |  | (Default task) Modify aff...      | Specifies the default name for a generated change ... <a href="#">More</a> |
| Expose organization for Change Management Objects     |  | No                                | Expose organization for Change Management Objects                          |
| Prevalidation Compare Icon                            |  | No                                | Prevalidation Compare Icon   |
| Variance Effectivity                                  |  | No                                | Enables specification of an effectivity statement ... <a href="#">More</a> |
| Create and Edit                                       |  |                                   |  |
| 'Object Checked Out' Alert Message                    |  | Yes                               | Determines whether a message will appear when a us... <a href="#">More</a> |
| Allow checkout of non-latest iterations               |  | No                                | If true then system will allow the checkout of non... <a href="#">More</a> |
| Autopopulate Check Box                                |  | Yes                               | Determines the default for the "Allow all organiza... <a href="#">More</a> |
| Change Notice Create Default Type                     |  | WCTYPE wt.change2.WTChang...      | Identifies the default type for creating change no... <a href="#">More</a> |
| Change Request Create Default Type                    |  | WCTYPE wt.change2.WTChang...      | Identifies the default type for creating change re... <a href="#">More</a> |
| Change Task Create Default Type                       |  | WCTYPE wt.change2.WTChang...      | Identifies the default type for creating change ta... <a href="#">More</a> |
| Check Out and Edit Action                             |  | Yes                               | Determines whether the Check Out and Edit action d... <a href="#">More</a> |
| Display Custom Attributes                             |  | Yes                               | Specifies whether input fields for custom modeled ... <a href="#">More</a> |
| Document Create Default Type                          |  | com.ptc.core.foundation.t...      | Identifies the default type for creating documents... <a href="#">More</a> |
| Part Create Default Type                              |  | com.ptc.core.foundation.t...      | Identifies the default type for creating parts.                            |
| Problem Report Create Default Type                    |  | WCTYPE wt.change2.WTChang...      | Identifies the default type for creating problem r... <a href="#">More</a> |
| Replace Content Action                                |  | Yes                               | Determines whether the Replace Content action disp... <a href="#">More</a> |
| Save Button Display on Edit Window                    |  | Yes                               | Determines whether the save button displays on an ... <a href="#">More</a> |
| Subscriber Check Box                                  |  | Yes                               | Determines the default for the subscriber check bo... <a href="#">More</a> |
| Variance Create Default Type                          |  | WCTYPE wt.change2.WTVaria...      | Identifies the default type for creating variances... <a href="#">More</a> |
| Delete  |  |                                   | Preferences for Delete object operation                                    |
| Collector   |  |                                   | Delete Collector Rule Values   |
| Display collected objects                             |  | As a List                         | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents                       |  | None                              | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Documents                           |  | None                              | Allow user to specify which dependent documents fo... <a href="#">More</a> |
| Include dependent Parts                               |  | None                              | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include Parent objects                                |  | None                              | Allow user to specify which parent objects for the... <a href="#">More</a> |
| Include related CAD Documents                         |  | None                              | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Documents                             |  | None                              | Allow user to specify which documents associated t... <a href="#">More</a> |
| Include related Drawings                              |  | None                              | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects                  |  | None                              | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics                              |  | None                              | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Notes                                 |  | None                              | Allow user to specify which notes associated to th... <a href="#">More</a> |
| Include related Parts                                 |  | None                              | Allow user to specify which parts associated to th... <a href="#">More</a> |
| Display   |  |                                   |  |
| Action Pre-Validation for New Object Creation         |  | Bypass                            | Controls the pre-validation for "New" actions base... <a href="#">More</a> |
| Additional search bases which need to be queried      |  |                                   | Additional search bases for which DirectoryContext... <a href="#">More</a> |
| Clipboard   |  |                                   |  |
| Remove On Paste                                       |  | No                                | Choose whether to remove objects from the Clipboar... <a href="#">More</a> |
| Show Clipboard Messages                               |  | Yes                               | Display clipboard messages when copying objects to... <a href="#">More</a> |
| Show Thumbnail  |  | Yes                               | Choose whether to display thumbnail image column i... <a href="#">More</a> |
| Configuration Specification                           |  |                                   |  |
| Apply Configuration specification to the originall... |  | No                                | Allow user to specify if the selected configuratio... <a href="#">More</a> |
| Dependency Processing Type                            |  | System Default                    | The dependency processing type specified below wil... <a href="#">More</a> |

|   |  |                              |  |
|---|--|------------------------------|--|
| Display length of Note Text in Information Page       |  | 255                          | Display length of Note Text in Information Page                              |
| Expose organization                                   |  | Yes                          | Expose organization  |
| General Collector                                     |  |                              | General Collector Rule Values  |
| Display collected objects                             |  | As a List                    | Allow users to change the way collected objects ar... <a href="#">More</a>   |
| Include dependent CAD Documents                       |  | All                          | Allow user to specify which dependent CAD Document... <a href="#">More</a>   |
| Include dependent Documents                           |  | All                          | Allow user to specify which dependent documents fo... <a href="#">More</a>   |
| Include dependent Parts                               |  | All                          | Allow user to specify which dependent parts for th... <a href="#">More</a>   |
| Include related CAD Documents                         |  | None                         | Allow user to specify which CAD Documents associat... <a href="#">More</a>   |
| Include related Documents                             |  | None                         | Allow user to specify which documents associated t... <a href="#">More</a>   |
| Include related Drawings                              |  | None                         | Allow user to specify which drawings associated to... <a href="#">More</a>   |
| Include related Family table objects                  |  | All                          | Allow user to specify which family table objects r... <a href="#">More</a>   |
| Include related Generics                              |  | None                         | Allow user to specify which generics associated to... <a href="#">More</a>   |
| Include related Notes                                 |  | None                         | Allow user to specify which notes associated to th... <a href="#">More</a>   |
| Include related Parts                                 |  | None                         | Allow user to specify which parts associated to th... <a href="#">More</a>   |
| Hide Guests Group                                     |  | No                           | Determines if the Guests group should be displayed... <a href="#">More</a>   |
| Incomplete object resolution                          |  | Ignore optional dependenc... | Sets the type of CAD document dependents that a us... <a href="#">More</a>   |
| Label for Manufacturer ID                             |  | 40                           | Label for Manufacturer ID  |
| Label for OrgID                                       |  | 37                           | Label for OrgID  |
| Label for Vendor ID                                   |  | 48                           | Label for Vendor ID  |
| Left pane folder explorer                             |  | Yes                          | Controls the display of the left pane of expanded ... <a href="#">More</a>   |
| Recently Visited List Size                            |  | 15                           | Recently Visited Objects List  |
| Synchronize Domains for User Organization Changes     |  | Yes                          | When this preference is set to true and the organi... <a href="#">More</a>   |
| Toolbar Action Descriptions                           |  | Yes                          | Controls the display of the action description und... <a href="#">More</a>   |
| User unique identifier display format                 |  | User Name and Organizatio... | User unique identifier display format  |
| Visible Folder Browser Resize Rows                    |  | 200                          | Hide folder browser content while resizing panes i... <a href="#">More</a>   |
| Workspace   |  | Yes                          | Enable the Workspace   |
| Documents   |  |                              |  |
| Check Out New Document from Template                  |  | No                           | Sets the default check out behavior for the New Do... <a href="#">More</a>   |
| Document from Template Filename                       |  | <number>_<name>              | Determines the filename for a newly created docume... <a href="#">More</a>   |
| Document from Template Filename Length                |  | 40                           | Determines the length of the filename for a newly ... <a href="#">More</a>   |
| Name Uniqueness Validation Types                      |  | Warn the user                | Name Uniqueness  |
| Title Attribute                                       |  | No                           | Determines whether the Title attribute will be dis... <a href="#">More</a>   |
| Effectivity Management                                |  |                              |  |
| Enable Recursive Sibling Propagation                  |  | No                           | Enables propagation of effectivity statements down... <a href="#">More</a>   |
| Enable Sibling Propagation                            |  | No                           | Enables propagation of effectivity statements to s... <a href="#">More</a>   |
| Enable Structure Propagation                          |  | No                           | Enables propagation of effectivity statements down... <a href="#">More</a>   |
| Include Work in Process Parts for Part Configurati... |  | No                           | Includes work in process parts for the part configur... <a href="#">More</a> |
| Lifecycle State of Part Configuration Specificatio... |  | Released                     | Lifecycle state of the part configuration specific... <a href="#">More</a>   |
| Lot number format                                     |  | wt.eff.format.DefaultUnit... | Lot number format  |
| Serial number format                                  |  | wt.eff.format.DefaultUnit... | Serial number format   |
| View of Part Configuration Specification for Struc... |  |                              | View of the part configuration specification used ... <a href="#">More</a>   |
| EPM Service Preferences                               |  |                              | Preferences used by EPM service  |
| Build Service Preferences                             |  |                              | Preferences used by build service  |
| Allowed edit of part structure built by build serv... |  | No                           | This preference will allow to edit part structure ... <a href="#">More</a>   |
| Attributes Delimiter                                  |  | ,                            | This preference defines the delimiter character th... <a href="#">More</a>   |
| Attributes to be published on Link                    |  |                              | Attributes to be published on Link   |
| Attributes to be published on Master                  |  | *                            | Attributes to be published on Master   |
| Attributes to be published on Occurrence              |  |                              | Attributes to be published on Occurrence                                     |
| Attributes to be published on Part                    |  | *                            | Attributes to be published on Part   |
| Create Part Uses For Member Link                      |  | No                           | Create Part Uses Occurrence even if Document struc... <a href="#">More</a>   |
| Send a CAD document to PDM without optional depend... |  | No                           | Allow a CAD document to be sent to PDM without new... <a href="#">More</a>   |
| Soft Type Preferences                                 |  |                              | Preferences defined for out of the box soft types.                           |
| CAD Document default soft type                        |  |                              | Logical Identifier of CAD Document default soft ty... <a href="#">More</a>   |
| Integral Operations                                   |  |                              | Integral Operations category for preferences for i... <a href="#">More</a>   |
| Add to Project Collector                              |  |                              | Add to Project Collector Rule Values   |
| Display collected objects                             |  | As a List                    | Allow users to change the way collected objects ar... <a href="#">More</a>   |
| Include dependent CAD Documents                       |  | All                          | Allow user to specify which dependent CAD Document... <a href="#">More</a>   |
| Include dependent Documents                           |  | All                          | Allow user to specify which dependent documents fo... <a href="#">More</a>   |
| Include dependent Parts                               |  | All                          | Allow user to specify which dependent parts for th... <a href="#">More</a>   |
| Include related Affected data                         |  | None                         | Allow user to specify which affected data associat... <a href="#">More</a>   |
| Include related CAD Documents                         |  | None                         | Allow user to specify which CAD Documents associat... <a href="#">More</a>   |
| Include related Change Activities                     |  | None                         | Allow user to specify which change activities asso... <a href="#">More</a>   |
| Include related Change Notices                        |  | None                         | Allow user to specify which change notices associa... <a href="#">More</a>   |
| Include related Change Requests                       |  | None                         | Allow user to specify which change requests associ... <a href="#">More</a>   |
| Include related Documents                             |  | None                         | Allow user to specify which documents associated t... <a href="#">More</a>   |
| Include related Drawings                              |  | None                         | Allow user to specify which drawings associated to... <a href="#">More</a>   |
| Include related Family table objects                  |  | None                         | Allow user to specify which family table objects r... <a href="#">More</a>   |
| Include related Generics                              |  | None                         | Allow user to specify which generics associated to... <a href="#">More</a>   |
| Include related Notes                                 |  | None                         | Allow user to specify which notes associated to th... <a href="#">More</a>   |
| Include related Parts                                 |  | None                         | Allow user to specify which parts associated to th... <a href="#">More</a>   |
| Include related Problem Reports                       |  | None                         | Allow user to specify which problem reports relate... <a href="#">More</a>   |
| Include related Variances                             |  | None                         | Allow user to specify which variances related to t... <a href="#">More</a>   |
| Move Collector  |  |                              | Move Collector Rule Values   |
| Display collected objects                             |  | As a List                    | Allow users to change the way collected objects ar... <a href="#">More</a>   |
| Include dependent CAD Documents                       |  | Required                     | Allow user to specify which dependent CAD Document... <a href="#">More</a>   |
| Include dependent Documents                           |  | None                         | Allow user to specify which dependent documents fo... <a href="#">More</a>   |
| Include dependent Parts                               |  | None                         | Allow user to specify which dependent parts for th... <a href="#">More</a>   |
| Include related CAD Documents                         |  | None                         | Allow user to specify which CAD Documents associat... <a href="#">More</a>   |
| Include related Documents                             |  | None                         | Allow user to specify which documents associated t... <a href="#">More</a>   |
| Include related Drawings                              |  | None                         | Allow user to specify which drawings associated to... <a href="#">More</a>   |
| Include related Family table objects                  |  | None                         | Allow user to specify which family table objects r... <a href="#">More</a>   |
| Include related Generics                              |  | None                         | Allow user to specify which generics associated to... <a href="#">More</a>   |
| Include related Notes                                 |  | None                         | Allow user to specify which notes associated to th... <a href="#">More</a>   |

|   |  |                              |  |
|---|--|------------------------------|--|
| Include related Parts                                 |  | None                         | Allow user to specify which parts associated to th... <a href="#">More</a> |
| Send to PDM Collector                                 |  |                              | Send to PDM Collector Rule Values  |
| Display collected objects                             |  | As a List                    | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents                       |  | All                          | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Documents                           |  | All                          | Allow user to specify which dependent documents fo... <a href="#">More</a> |
| Include dependent Parts                               |  | All                          | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents                         |  | All                          | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Documents                             |  | All                          | Allow user to specify which documents associated t... <a href="#">More</a> |
| Include related Drawings                              |  | All                          | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects                  |  | All                          | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics                              |  | All                          | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Notes                                 |  | None                         | Allow user to specify which notes associated to th... <a href="#">More</a> |
| Include related Parts                                 |  | All                          | Allow user to specify which parts associated to th... <a href="#">More</a> |
| Notification  |  |                              |  |
| Digest Entries Size Limitation                        |  | 25                           | Maximum number of digest entries in a single email... <a href="#">More</a> |
| Digest Notification Schedule                          |  | 0,00:00                      | Set up a schedule for Digest Notification                                  |
| Options and Variants Preferences                      |  |                              |  |
| Enable Automatic Find Variants Processing for Part... |  | No                           | Enables Automatic Find Variants Processing for Par... <a href="#">More</a> |
| Enable Find Variants Action on Generic Parts          |  | No                           | Enables Find Variants Action on Generic Parts                              |
| Part Management                                       |  |                              |  |
| BOM Report Preference Category                        |  |                              | BOM Report Preference Category   |
| Attributes for Multi-Level                            |  | orgid,Version,Name,LineNu... | Sets attributes of multi-level Bill of Material re... <a href="#">More</a> |
| Attributes for Multi-Level Bill of Materials With ... |  | ReplacementType,orgid,Ver... | Sets attributes of multi-level Bill of Material wi... <a href="#">More</a> |
| Attributes for Multi-Level Components List report     |  | Number,orgid,Version,Name... | Attributes (columns) for Multi-Level Components Li... <a href="#">More</a> |
| Attributes for Multi-Level Where Used report          |  | Number,orgid,Version,Name... | Attributes (columns) for Multi-Level Where Used re... <a href="#">More</a> |
| Attributes for Single-Level                           |  | orgid,Version,Name,LineNu... | Sets attributes of single-level Bill of Material r... <a href="#">More</a> |
| Attributes for Single-Level Consolidated Bill of M... |  | Number,orgid,Version,Name... | Attributes (columns) for Single-Level Consolidated... <a href="#">More</a> |
| First Attribute for Multi-Level Bill Of Materials ... |  | FindNumber                   | Sets first attribute for Multi-Level Bill Of Mater... <a href="#">More</a> |
| Launch Multi-Level Bill of Materials Report In Win... |  | Yes                          | Determines whether the Multi-Level Bill of Materia... <a href="#">More</a> |
| Level of the Bill of Materials Report                 |  | 10                           | Sets the level of multi-level Bill of Material rep... <a href="#">More</a> |
| Primary Attribute for Multi-Level                     |  | Number                       | Sets primary attribute for multi-Level Bill of Mat... <a href="#">More</a> |
| Primary Attribute for Multi-Level Bill Of Material... |  | Number                       | Sets primary attribute of Multi-Level Bill of Mate... <a href="#">More</a> |
| Primary Attribute for Multi-Level Where Used repor... |  | Number                       | Primary Attribute (column) for Multi-Level Where U... <a href="#">More</a> |
| Primary Attribute for Single-Level                    |  | Number                       | Sets primary attribute of single-level Bill of Mat... <a href="#">More</a> |
| Default Part View                                     |  | Design                       | The name of a part view  |
| Enable Thumbnail Icon in Table                        |  | No                           | Controls whether the thumbnail icon is enabled in ... <a href="#">More</a> |
| List of comma separated life cycle states of docum... |  | RELEASED                     | List of comma separated life cycle states of docum... <a href="#">More</a> |
| Maximum nodes to add to the part structure in stru... |  | 2500                         | Maximum nodes to add to the part structure in stru... <a href="#">More</a> |
| Part to Document Association Logic                    |  | No                           | Controls the logic for how documents are related t... <a href="#">More</a> |
| Reference Designators                                 |  |                              |  |
| Reference Designator Maximum Display Length           |  | 20                           | Maximum display length of reference designator lis... <a href="#">More</a> |
| Reference Designator Range Character                  |  | -                            | Character that is used to designate a range of ref... <a href="#">More</a> |
| Reference Designator Separator Character              |  | ,                            | Character that is used to separate individual refe... <a href="#">More</a> |
| Promotion Process                                     |  |                              |  |
| Collector   |  |                              | Promotion Collector Rule Values  |
| Display collected objects                             |  | As a List                    | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents                       |  | Required                     | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Documents                           |  | All                          | Allow user to specify which dependent documents fo... <a href="#">More</a> |
| Include dependent Parts                               |  | All                          | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents                         |  | None                         | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Documents                             |  | None                         | Allow user to specify which documents associated t... <a href="#">More</a> |
| Include related Drawings                              |  | None                         | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects                  |  | None                         | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics                              |  | None                         | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Notes                                 |  | None                         | Allow user to specify which notes associated to th... <a href="#">More</a> |
| Include related Parts                                 |  | None                         | Allow user to specify which parts associated to th... <a href="#">More</a> |
| Default Promotion Processes                           |  | Promotion Request Approva... | The specified list of workflow processes from the ... <a href="#">More</a> |
| Fixed Roles For Promote                               |  | APPROVER=PROMOTION APPROV... | The mapping of fixed roles used during promotion.                          |
| Group Members Display                                 |  | No                           | Controls the display of all the group members in t... <a href="#">More</a> |
| PSE   |  |                              | Product Structure Explorer   |
| Automatically select top node                         |  | Yes                          | Automatically select top node after structure load                         |
| Check in Deferred Changes                             |  | No                           | Check in deferred changes after apply                                      |
| Close Structure After Changes Are Applied             |  | No                           | Close the current structure after changes are appl... <a href="#">More</a> |
| Data Entry Results Threshold                          |  | 10                           | Data dropdown threshold  |
| Force PSE Visualization software installation         |  | No                           | Always install or upgrade PSE visualization softwa... <a href="#">More</a> |
| Ignore PSE visualization software installation        |  | No                           | Don't prompt to install PSE visualization software                         |
| Java Runtime Parameters for Java Web Start            |  | -Xmx256m                     | Select the Java runtime parameters used by Java We... <a href="#">More</a> |
| Java Web Start  |  | Yes                          | Use Java Web Start to host Product Structure Explo... <a href="#">More</a> |
| Launch Mode   |  | Draft                        | The initial mode when launching a new explorer                             |
| Look and Feel   |  | System                       | Look and feel name   |
| Most Recently Used                                    |  | 5                            | Number of most recently used entries                                       |
| Multivalue Separator                                  |  | ;                            | Multivalue separator   |
| New Window  |  | Ask                          | Open in new window   |
| Viewer Feedback                                       |  | Yes                          | Display viewer message feedback  |
| Purge, Archive, Restore                               |  |                              |  |
| Chunk Size Purge                                      |  | -1                           | Number of objects to purge at one time.                                    |
| Job Count   |  | 50                           | The maximum number of jobs/schedules listed on a p... <a href="#">More</a> |
| Preview Limit   |  | 500                          | Preview Limit  |
| Reports   |  |                              |  |
| Report Raster Format                                  |  | jpg                          | Specifies the raster format for SVG report output.                         |
| SVG Report Processor                                  |  | wt.query.template.SVGPost... | Specifies the SVG report processor class name.                             |
| XSL Formatting Objects Report Processor               |  | wt.query.template.XSLFOPo... | Specifies the XSL formatting objects report proces... <a href="#">More</a> |
| Revise  |  |                              |  |

|                                       |  |   |  |
|---------------------------------------|--|---|--|
| Allow Override On Create CAD Document |  | Yes   | Allows setting the target revision of the object b... <a href="#">More</a> |
| Allow Override On Insert              |  | No  | If true will display insert actions and allow user... <a href="#">More</a> |
| Allow Override On Revise              |  | No  | If true will allow user to specify a revision labe... <a href="#">More</a> |
| [-] Collector                         |  |   |  |
| Display collected objects             |  | As a List   | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents       |  | Required  | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Documents           |  | All   | Allow user to specify which dependent documents fo... <a href="#">More</a> |
| Include dependent Parts               |  | All   | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents         |  | Initially Selected Only                           | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Documents             |  | All   | Allow user to specify which documents associated t... <a href="#">More</a> |
| Include related Drawings              |  | All   | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects  |  | None  | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics              |  | None  | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Notes                 |  | None  | Allow user to specify which notes associated to th... <a href="#">More</a> |
| Include related Parts                 |  | All   | Allow user to specify which parts associated to th... <a href="#">More</a> |
| Revision Label Picker Display Count   |  | 10  | Number of revision labels displayed by revision la... <a href="#">More</a> |
| [-] Save As                           |  |   |  |
| Allow Replace                         |  | No  | Controls the availability of the "Replace" button ... <a href="#">More</a> |
| [-] From Commonsplace Collector       |  |   | Save As from Commonsplace Collector Rule Values                            |
| Display collected objects             |  | As a List   | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents       |  | Required  | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Parts               |  | None  | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents         |  | None  | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Drawings              |  | None  | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects  |  | None  | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics              |  | None  | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Notes                 |  | None  | Allow user to specify which notes associated to th... <a href="#">More</a> |
| Include related Parts                 |  | None  | Allow user to specify which parts associated to th... <a href="#">More</a> |
| [-] From Workspace Collector          |  |   | Save As from Workspace Collector Rule Values                               |
| Display collected objects             |  | As a List   | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents       |  | Required  | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Parts               |  | None  | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents         |  | None  | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Drawings              |  | None  | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects  |  | None  | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics              |  | None  | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Parts                 |  | None  | Allow user to specify which parts associated to th... <a href="#">More</a> |
| [-] Naming Patterns                   |  |   | Save As Naming Patterns  |
| CAD Document Filename Prefix          |  | *.*   | Sets the pattern for filename prefix change during... <a href="#">More</a> |
| CAD Document Filename Suffix          |  | *.*   | Sets the pattern for filename suffix change during... <a href="#">More</a> |
| CAD Document Name Prefix              |  | *.*   | Sets the pattern for CAD document name prefix chan... <a href="#">More</a> |
| CAD Document Name Suffix              |  | *.*   | Sets the pattern for CAD document name suffix chan... <a href="#">More</a> |
| CAD Document Number Prefix            |  | *.*   | Sets the pattern for CAD document number prefix ch... <a href="#">More</a> |
| CAD Document Number Suffix            |  | *.*   | Sets the pattern for CAD document number suffix ch... <a href="#">More</a> |
| Part Name Prefix                      |  | *.*   | Sets the pattern for part name prefix change durin... <a href="#">More</a> |
| Part Name Suffix                      |  | *.*   | Sets the pattern for part name suffix change durin... <a href="#">More</a> |
| Part Number Prefix                    |  | *.*   | Sets the pattern for part number prefix change dur... <a href="#">More</a> |
| Part Number Suffix                    |  | *.*   | Sets the pattern for part number suffix change dur... <a href="#">More</a> |
| Save Selected Objects Only            |  | No  | Saves only initially selected objects and reuses d... <a href="#">More</a> |
| Set File Name Same As Number          |  | Yes   | Controls how filename is assigned by default for a... <a href="#">More</a> |
| [-] Search                            |  |   |  |
| All Applicable Object Types Search    |  | WCTYPE wt.query.template.... <a href="#">More</a> | List of types shown in Type Picker in Search pages... <a href="#">More</a> |
| Excluded Part Subtypes                |  |   | Configures the part subtypes that are excluded fro... <a href="#">More</a> |
| FileName Field on Simple Search Page  |  | No  | Showing FileName Field on Simple Search Page with ... <a href="#">More</a> |
| Global Type Selection                 |  | wt.part.WTPart,wt.change2...                      | This preference holds the type selection on Simple... <a href="#">More</a> |
| Indexable Global Searches             |  | Yes   | Use Index Search in Global Keyword searches.                               |
| Latest Version Search                 |  | No  | Search for the latest version of objects.                                  |
| Library Preferences                   |  | wblib   | Choose the libraries for Keyword search.                                   |
| Reset GlobalType Selection            |  | No  | Allow user to reset global type  |
| Results per page                      |  | 100   | This preference sets default value for result per ... <a href="#">More</a> |
| Search Mode                           |  | Simple  | Choose the type of Keyword search to perform.                              |
| Table Results Paging                  |  | 1000000000  | Choose the number of table results to display per ... <a href="#">More</a> |
| Thumbnail Display in Search Results   |  | No  | Chooses whether thumbnail images are displayed on ... <a href="#">More</a> |
| [-] Security                          |  |   |  |
| Access Permission Configuration       |  |   | Controls what permissions can be seen and modified                         |
| Access Permission Configuration (PDM) |  |   | Controls what access control permissions can be se... <a href="#">More</a> |
| Detailed Participant Identification   |  | No  | Display participant names with additional identify... <a href="#">More</a> |
| Display Folder Domains                |  | No  | Display the folder domains   |
| Retrieve Policy Rules                 |  | Yes   | Automatically retrieve policy rules for display                            |
| [-] Tables                            |  |   |  |
| Assignment Table Query Limit          |  | 20  | Indicates the actual number of assignments to fet... <a href="#">More</a>  |
| Overview Table Size                   |  | 7   | Home Tab Number of Rows to Display   |
| Paging Limit for Tables               |  | 15  | Controls the number of rows to display per page in... <a href="#">More</a> |
| [-] Test Collector                    |  |   | Test Collector Rule Values   |
| [-] Collection Component Collector    |  |   | Collection Component Collector Rule Values                                 |
| Display collected objects             |  | As a List   | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents       |  | Required  | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Documents           |  | None  | Allow user to specify which dependent documents fo... <a href="#">More</a> |
| Include dependent Parts               |  | None  | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related Affected data         |  | None  | Allow user to specify which affected data associat... <a href="#">More</a> |
| Include related CAD Documents         |  | None  | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Change Activities     |  | None  | Allow user to specify which change activities asso... <a href="#">More</a> |
| Include related Change Notices        |  | None  | Allow user to specify which change notices associa... <a href="#">More</a> |



|  |  |  |                               |  |
|--|--|--|-------------------------------|--|
|  | Include related Change Requests                |  | None                          | Allow user to specify which change requests associ... <a href="#">More</a> |
|  | Include related Documents                      |  | None                          | Allow user to specify which documents associated t... <a href="#">More</a> |
|  | Include related Drawings                       |  | None                          | Allow user to specify which drawings associated to... <a href="#">More</a> |
|  | Include related Family table objects           |  | None                          | Allow user to specify which family table objects r... <a href="#">More</a> |
|  | Include related Generics                       |  | None                          | Allow user to specify which generics associated to... <a href="#">More</a> |
|  | Include related Parts                          |  | None                          | Allow user to specify which parts associated to th... <a href="#">More</a> |
|  | Include related Problem Reports                |  | None                          | Allow user to specify which problem reports relate... <a href="#">More</a> |
|  | Include related Variances                      |  | None                          | Allow user to specify which variances related to t... <a href="#">More</a> |
|  | Collection Picker Dialog Collector             |  |                               | Collection Picker Dialog Collector Rule Values                             |
|  | Display collected objects                      |  | As a List                     | Allow users to change the way collected objects ar... <a href="#">More</a> |
|  | Include dependent CAD Documents                |  | Required                      | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
|  | Include dependent Documents                    |  | None                          | Allow user to specify which dependent documents fo... <a href="#">More</a> |
|  | Include dependent Parts                        |  | None                          | Allow user to specify which dependent parts for th... <a href="#">More</a> |
|  | Include related Affected data                  |  | None                          | Allow user to specify which affected data associat... <a href="#">More</a> |
|  | Include related CAD Documents                  |  | None                          | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
|  | Include related Change Activities              |  | None                          | Allow user to specify which change activities asso... <a href="#">More</a> |
|  | Include related Change Notices                 |  | None                          | Allow user to specify which change notices associa... <a href="#">More</a> |
|  | Include related Change Requests                |  | None                          | Allow user to specify which change requests associ... <a href="#">More</a> |
|  | Include related Documents                      |  | None                          | Allow user to specify which documents associated t... <a href="#">More</a> |
|  | Include related Drawings                       |  | None                          | Allow user to specify which drawings associated to... <a href="#">More</a> |
|  | Include related Family table objects           |  | None                          | Allow user to specify which family table objects r... <a href="#">More</a> |
|  | Include related Generics                       |  | None                          | Allow user to specify which generics associated to... <a href="#">More</a> |
|  | Include related Parts                          |  | None                          | Allow user to specify which parts associated to th... <a href="#">More</a> |
|  | Include related Problem Reports                |  | None                          | Allow user to specify which problem reports relate... <a href="#">More</a> |
|  | Include related Variances                      |  | None                          | Allow user to specify which variances related to t... <a href="#">More</a> |
|  | Simple Collection Collector                    |  |                               | Simple Collection Collector Rule Values                                    |
|  | Display collected objects                      |  | As a List                     | Allow users to change the way collected objects ar... <a href="#">More</a> |
|  | Include dependent CAD Documents                |  | Required                      | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
|  | Include dependent Documents                    |  | None                          | Allow user to specify which dependent documents fo... <a href="#">More</a> |
|  | Include dependent Parts                        |  | None                          | Allow user to specify which dependent parts for th... <a href="#">More</a> |
|  | Include related Affected data                  |  | None                          | Allow user to specify which affected data associat... <a href="#">More</a> |
|  | Include related CAD Documents                  |  | None                          | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
|  | Include related Change Activities              |  | None                          | Allow user to specify which change activities asso... <a href="#">More</a> |
|  | Include related Change Notices                 |  | None                          | Allow user to specify which change notices associa... <a href="#">More</a> |
|  | Include related Change Requests                |  | None                          | Allow user to specify which change requests associ... <a href="#">More</a> |
|  | Include related Documents                      |  | None                          | Allow user to specify which documents associated t... <a href="#">More</a> |
|  | Include related Drawings                       |  | None                          | Allow user to specify which drawings associated to... <a href="#">More</a> |
|  | Include related Family table objects           |  | None                          | Allow user to specify which family table objects r... <a href="#">More</a> |
|  | Include related Generics                       |  | None                          | Allow user to specify which generics associated to... <a href="#">More</a> |
|  | Include related Parts                          |  | None                          | Allow user to specify which parts associated to th... <a href="#">More</a> |
|  | Include related Problem Reports                |  | None                          | Allow user to specify which problem reports relate... <a href="#">More</a> |
|  | Include related Variances                      |  | None                          | Allow user to specify which variances related to t... <a href="#">More</a> |
|  | Vaulting and Replication                       |  |                               |  |
|  | Default cache vault created                    |  | Yes                           | Boolean flag to indicate whether default cache vau... <a href="#">More</a> |
|  | Visualization                                  |  |                               |  |
|  | Autoload ProductView Data                      |  | Autoload single file          | Choose how to autoload files when launching Produc... <a href="#">More</a> |
|  | Windchill Workgroup Manager                    |  |                               | Windchill Workgroup Manager  |
|  | Client   |  |                               | Client side Windchill Workgroup Manager preference... <a href="#">More</a> |
|  | Attach Differences Report upon Check In        |  | No                            | Controls the default behavior whether or not to ge... <a href="#">More</a> |
|  | AutoCAD Standard Drawing Definition            |  |                               | Controls how the system identifies which drawings ... <a href="#">More</a> |
|  | AutoCAD  |  | attribute_only                |  |
|  | CAD Document Iteration System Attribute        |  | PTC_WM_ITERATION              | Identifies the name of the property in the CAD too... <a href="#">More</a> |
|  | CAD Document Name System Attribute             |  | PTC_WM_NAME                   | Identifies the name of the property in the CAD too... <a href="#">More</a> |
|  | CAD Document Number System Attribute           |  | PTC_WM_NUMBER                 | Identifies the name of the property in the CAD too... <a href="#">More</a> |
|  | Check In Content Options                       |  | Models Only                   | Specifies how the model is saved on the CAD Tool m... <a href="#">More</a> |
|  | Drawing Definition                             |  |                               | Controls how the system determines if the model sh... <a href="#">More</a> |
|  | UG NX  |  | attribute                     |  |
|  | Drawing File Name                              |  |                               | If the preference, Drawing Definition, is set to "... <a href="#">More</a> |
|  | UG NX  |  |                               |  |
|  | Drawing Layer ID                               |  |                               | If the preference, Drawing Definition, is set to "... <a href="#">More</a> |
|  | UG NX  |  |                               |  |
|  | Drawing System Attribute                       |  |                               | Identifies the name of the attribute that determin... <a href="#">More</a> |
|  | UG NX  |  | PTC_WM_IS_DRAWING             |  |
|  | Dynamic Document Burst Configuration soft type |  | \$(internet_domain_name).B... | Logical Identifier of the dynamic document burst ... <a href="#">More</a>  |
|  | Arbortext Editor                               |  | \$(internet_domain_name).B... |  |
|  | Dynamic Document default soft type             |  | \$(internet_domain_name).D... | Logical Identifier of Dynamic Document default sof... <a href="#">More</a> |
|  | Arbortext Editor                               |  | \$(internet_domain_name).D... |  |
|  | Note default soft type                         |  | \$(internet_domain_name).N... | Logical Identifier of Note default soft type                               |
|  | Organization ID System Attribute               |  | PTC_WM_ORGANIZATION_ID        | Identifies the name of the property in the CAD too... <a href="#">More</a> |
|  | Part Name System Attribute                     |  | PTC_WM_PART_NAME              | Identifies the name of the property in the CAD too... <a href="#">More</a> |
|  | Part Number System Attribute                   |  | PTC_WM_PART_NUMBER            | Identifies the name of the property in the CAD too... <a href="#">More</a> |
|  | Revision System Attribute                      |  | PTC_WM_REVISION               | Identifies the name of the property in the CAD too... <a href="#">More</a> |
|  | Standard Drawing File Name                     |  |                               | If the preference, Drawing Definition, is set to "... <a href="#">More</a> |
|  | AutoCAD  |  |                               |  |
|  | Undo Checkout Overwrite Local Content          |  | No                            | Specifies if the model content is overwritten in c... <a href="#">More</a> |
|  | Update Overwrite Local Content                 |  | No                            | Specifies if the model content is overwritten in c... <a href="#">More</a> |
|  | Upload   |  |                               | Windchill Workgroup Manager preferences for upload... <a href="#">More</a> |
|  | Naming Parameter                               |  |                               | Naming Parameter   |
|  | AutoCAD  |  | DENOMINATION1                 |  |
|  | Pro/ENGINEER                                   |  | DENOMINATION1                 |  |
|  | Numbering Parameter                            |  |                               | Numbering Parameter  |
|  | Upload Drop Name File Extension                |  | Yes                           | Upload Drop Name File Extension  |
|  | Upload Drop Number File Extension              |  | No                            | Upload Drop Number File Extension  |

|  |   |  |                                |  |
|--|---|--|--------------------------------|--|
|  | Upload After Native Save                                  |  | No                             | Specifies if the model is uploaded after a native ... <a href="#">More</a> |
|  | [-] Server  |  |                                | Server side Windchill Workgroup Manager preference... <a href="#">More</a> |
|  | [-] Add to Workspace and Check Out                        |  |                                | Windchill Workgroup Manager preferences for Add to... <a href="#">More</a> |
|  | Add Primary Contents to Workspace                         |  | DOWNLOAD                       | Controls the default behavior whether content shou... <a href="#">More</a> |
|  | [-] Add to Workspace Collector                            |  |                                | Add to Workspace Collector Rule Values                                     |
|  | Display collected objects                                 |  | As a List                      | Allow users to change the way collected objects ar... <a href="#">More</a> |
|  | Include dependent CAD Documents                           |  | Required                       | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
|  | Include dependent Parts                                   |  | None                           | Allow user to specify which dependent parts for th... <a href="#">More</a> |
|  | Include related CAD Documents                             |  | None                           | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
|  | Include related Drawings                                  |  | None                           | Allow user to specify which drawings associated to... <a href="#">More</a> |
|  | Include related Family table objects                      |  | None                           | Allow user to specify which family table objects r... <a href="#">More</a> |
|  | Include related Generics                                  |  | None                           | Allow user to specify which generics associated to... <a href="#">More</a> |
|  | Include related Parts                                     |  | None                           | Allow user to specify which parts associated to th... <a href="#">More</a> |
|  | [-] Check Out Collector                                   |  |                                | Check Out Collector Rule Values  |
|  | Display collected objects                                 |  | As a List                      | Allow users to change the way collected objects ar... <a href="#">More</a> |
|  | Include dependent CAD Documents                           |  | Required                       | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
|  | Include dependent Parts                                   |  | None                           | Allow user to specify which dependent parts for th... <a href="#">More</a> |
|  | Include related CAD Documents                             |  | None                           | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
|  | Include related Drawings                                  |  | None                           | Allow user to specify which drawings associated to... <a href="#">More</a> |
|  | Include related Family table objects                      |  | None                           | Allow user to specify which family table objects r... <a href="#">More</a> |
|  | Include related Generics                                  |  | None                           | Allow user to specify which generics associated to... <a href="#">More</a> |
|  | Include related Parts                                     |  | None                           | Allow user to specify which parts associated to th... <a href="#">More</a> |
|  | Open in Application                                       |  | No                             | Controls the default behavior whether initially se... <a href="#">More</a> |
|  | Reuse Content in Target Workspace                         |  | Yes                            | Controls the default behavior of how content shoul... <a href="#">More</a> |
|  | Set Configuration for Add to Workspace                    |  | DEFAULT                        | Controls the default configuration when Add to Wor... <a href="#">More</a> |
|  | Set Configuration for Check Out                           |  | DEFAULT                        | Controls the default configuration when Check Out ... <a href="#">More</a> |
|  | Set for Check Out   |  | SELECTED_AND_MODIFIED          | Controls the default set of objects to be checked ... <a href="#">More</a> |
|  | [-] Auto Associate  |  |                                | Preferences for associate, disassociate and auto-a... <a href="#">More</a> |
|  | [-] Auto Associate Naming Parameter                       |  | DENOMINATION1                  | Identifies the CAD file parameter used when naming... <a href="#">More</a> |
|  | AutoCAD   |  | DENOMINATION1                  |  |
|  | Pro/ENGINEER  |  | DENOMINATION1                  |  |
|  | Auto Associate Numbering Parameter                        |  |                                | Identifies the CAD file parameter used when number... <a href="#">More</a> |
|  | [-] Auto Associate Truncate Name File Extension           |  | Yes                            | Truncates the file extension (from CAD filename) i... <a href="#">More</a> |
|  | AutoCAD   |  | Yes                            |  |
|  | Pro/ENGINEER  |  | Yes                            |  |
|  | Auto Associate Truncate Number File Extension             |  | Yes                            | Truncates the file extension (from CAD filename) i... <a href="#">More</a> |
|  | Create Alternate Link On Check In                         |  | No                             | Allows a link of the next available type to be cre... <a href="#">More</a> |
|  | Create Associate New Part                                 |  | Yes                            | Specifies whether a new part should be created if ... <a href="#">More</a> |
|  | Custom Class for Auto Associate Part                      |  | com.ptc.windchill.uwgm.co...   | Specifies the name of the class that implements Au... <a href="#">More</a> |
|  | [-] Disallow Product Structure Links for CAD Document ... |  |                                | Lists CAD document sub-types which cannot be activ... <a href="#">More</a> |
|  | AutoCAD   |  | XREF                           |  |
|  | Pro/ENGINEER  |  | SKEL_MODEL                     |  |
|  | [-] Disallow Product Structure Links for CAD Document ... |  | CADDRAWING                     | Lists CAD document types which cannot be actively ... <a href="#">More</a> |
|  | Pro/ENGINEER  |  | CADDRAWING, DIAGRAM, FORMAT... |  |
|  | Force Autonumbered Part Creation                          |  | No                             | Allows Auto Associate to create an autonumbered pa... <a href="#">More</a> |
|  | Part Master Class for Search                              |  | wt.part.WTPartMaster           | Identifies the internal name of the part master ty... <a href="#">More</a> |
|  | Set Revision For Part                                     |  | No                             | Sets the revision of a part to match the revision ... <a href="#">More</a> |
|  | Store New Parts with CAD Documents                        |  | No                             | Specifies the location of newly created parts to b... <a href="#">More</a> |
|  | [-] CAD Data Management                                   |  |                                | Workgroup Manager preferences for the CAD Data Man... <a href="#">More</a> |
|  | [-] Content Handling                                      |  |                                | Content handling preferences of the CAD Data Manag... <a href="#">More</a> |
|  | [-] Download  |  |                                | Content handling - download preferences                                    |
|  | Analysis Input  |  | Yes                            | Sets the download preference for the Analysis Inpu... <a href="#">More</a> |
|  | Analysis Results  |  | No                             | Sets the download preference for the Analysis Resu... <a href="#">More</a> |
|  | CATIA Design Table  |  | Yes                            | Sets the download preference for the CATIA Design ... <a href="#">More</a> |
|  | CATIA Model   |  | Yes                            | Sets the download preference for the CATIA Model c... <a href="#">More</a> |
|  | Design Data   |  | No                             | Sets the download preference for the Design Data c... <a href="#">More</a> |
|  | Drawing   |  | Yes                            | Sets the download preference for the Drawing conte... <a href="#">More</a> |
|  | EDA Normalized Data                                       |  | No                             | Sets the download preference for the EDA Normalize... <a href="#">More</a> |
|  | Export  |  | No                             | Sets the download preference for the Export conten... <a href="#">More</a> |
|  | Family Table  |  | Yes                            | Sets the download preference for the Family Table ... <a href="#">More</a> |
|  | General   |  | No                             | Sets the download preference for the General conte... <a href="#">More</a> |
|  | IDEAS Drawing Sheet                                       |  | Yes                            | Sets the download preference for the IDEAS Drawing... <a href="#">More</a> |
|  | IDEAS Legacy Drawing                                      |  | No                             | Sets the download preference for the IDEAS Legacy ... <a href="#">More</a> |
|  | IDEAS Package   |  | Yes                            | Sets the download preference for the IDEAS Package... <a href="#">More</a> |
|  | Image   |  | No                             | Sets the download preference for the Image content... <a href="#">More</a> |
|  | Import  |  | No                             | Sets the download preference for the Import conten... <a href="#">More</a> |
|  | Information   |  | No                             | Sets the download preference for the Information c... <a href="#">More</a> |
|  | Instance Accelerator File                                 |  | Yes                            | Sets the download preference for the Instance Acce... <a href="#">More</a> |
|  | Inventor Design View Document                             |  | Yes                            | Sets the download preference for the Inventor Desi... <a href="#">More</a> |
|  | Inventor iPart Instance                                   |  | Yes                            | Sets the download preference for the Inventor iPar... <a href="#">More</a> |
|  | Inventor Model  |  | Yes                            | Sets the download preference for the Inventor Mode... <a href="#">More</a> |
|  | Logical Reference   |  | Yes                            | Sets the download preference for the Logical Refer... <a href="#">More</a> |
|  | Manufacturing   |  | Yes                            | Sets the download preference for the Manufacturing... <a href="#">More</a> |
|  | Mesh  |  | No                             | Sets the download preference for the Mesh content ... <a href="#">More</a> |
|  | Package   |  | Yes                            | Sets the download preference for the Package conte... <a href="#">More</a> |
|  | Parameter Table   |  | Yes                            | Sets the download preference for the Parameter Tab... <a href="#">More</a> |
|  | Pro/ENGINEER UGC  |  | Yes                            | Sets the download preference for the Pro/ENGINEER ... <a href="#">More</a> |
|  | Pro/ENGINEER UGC Section                                  |  | Yes                            | Sets the download preference for the Pro/ENGINEER ... <a href="#">More</a> |
|  | Pro/ENGINEER UGC Section Table of Contents                |  | Yes                            | Sets the download preference for the Pro/ENGINEER ... <a href="#">More</a> |
|  | SolidWorks Design Table                                   |  | Yes                            | Sets the download preference for the SolidWorks De... <a href="#">More</a> |
|  | SolidWorks Model  |  | Yes                            | Sets the download preference for the SolidWorks Mo... <a href="#">More</a> |
|  | Text  |  | No                             | Sets the download preference for the Text content ... <a href="#">More</a> |
|  | Toolpath  |  | No                             | Sets the download preference for the Toolpath cont... <a href="#">More</a> |

|  |   |  |   |  |
|--|---|--|---|--|
|  | UG NX Model   |  | Yes   | Sets the download preference for the UG NX Model c... <a href="#">More</a> |
|  | Viewable  |  | No  | Sets the download preference for the Viewable cont... <a href="#">More</a> |
|  | Mark Out Of Date                                      |  |   | Content handling - mark out of date preferences                            |
|  | Analysis Input  |  | No  | Sets the mark out-of-date preference for the Analy... <a href="#">More</a> |
|  | Analysis Results                                      |  | No  | Sets the mark out-of-date preference for the Analy... <a href="#">More</a> |
|  | CATIA Design Table                                    |  | No  | Sets the mark out-of-date preference for the CATIA... <a href="#">More</a> |
|  | CATIA Model   |  | Yes   | Sets the mark out-of-date preference for the CATIA... <a href="#">More</a> |
|  | Design Data   |  | No  | Sets the mark out-of-date preference for the Desig... <a href="#">More</a> |
|  | Drawing   |  | Yes   | Sets the mark out-of-date preference for the Drawi... <a href="#">More</a> |
|  | EDA Normalized Data                                   |  | No  | Sets the mark out-of-date preference for the EDA N... <a href="#">More</a> |
|  | Export  |  | No  | Sets the mark out-of-date preference for the Expor... <a href="#">More</a> |
|  | Family Table  |  | Yes   | Sets the mark out-of-date preference for the Famil... <a href="#">More</a> |
|  | General   |  | No  | Sets the mark out-of-date preference for the Gener... <a href="#">More</a> |
|  | IDEAS Drawing Sheet                                   |  | Yes   | Sets the mark out-of-date preference for the IDEAS... <a href="#">More</a> |
|  | IDEAS Legacy Drawing                                  |  | No  | Sets the mark out-of-date preference for the IDEAS... <a href="#">More</a> |
|  | IDEAS Package   |  | No  | Sets the mark out-of-date preference for the IDEAS... <a href="#">More</a> |
|  | Image   |  | No  | Sets the mark out-of-date preference for the Image... <a href="#">More</a> |
|  | Import  |  | No  | Sets the mark out-of-date preference for the Impor... <a href="#">More</a> |
|  | Information   |  | No  | Sets the mark out-of-date preference for the Infor... <a href="#">More</a> |
|  | Instance Accelerator File                             |  | No  | Sets the mark out-of-date preference for the Insta... <a href="#">More</a> |
|  | Inventor Design View Document                         |  | No  | Sets the mark out-of-date preference for the Inven... <a href="#">More</a> |
|  | Inventor iPart Instance                               |  | No  | Sets the mark out-of-date preference for the Inven... <a href="#">More</a> |
|  | Inventor Model  |  | Yes   | Sets the mark out-of-date preference for the Inven... <a href="#">More</a> |
|  | Logical Reference                                     |  | No  | Sets the mark out-of-date preference for the Logic... <a href="#">More</a> |
|  | Manufacturing   |  | No  | Sets the mark out-of-date preference for the Manuf... <a href="#">More</a> |
|  | Mesh  |  | No  | Sets the mark out-of-date preference for the Mesh ... <a href="#">More</a> |
|  | Package   |  | Yes   | Sets the mark out-of-date preference for the Packa... <a href="#">More</a> |
|  | Parameter Table                                       |  | No  | Sets the mark out-of-date preference for the Param... <a href="#">More</a> |
|  | Pro/ENGINEER UGC                                      |  | Yes   | Sets the mark out-of-date preference for the Pro/E... <a href="#">More</a> |
|  | Pro/ENGINEER UGC Section                              |  | Yes   | Sets the mark out-of-date preference for the Pro/E... <a href="#">More</a> |
|  | Pro/ENGINEER UGC Section Table of Contents            |  | Yes   | Sets the mark out-of-date preference for the Pro/E... <a href="#">More</a> |
|  | SolidWorks Design Table                               |  | No  | Sets the mark out-of-date preference for the Solid... <a href="#">More</a> |
|  | SolidWorks Model                                      |  | Yes   | Sets the mark out-of-date preference for the Solid... <a href="#">More</a> |
|  | Text  |  | No  | Sets the mark out-of-date preference for the Text ... <a href="#">More</a> |
|  | Toolpath  |  | No  | Sets the mark out-of-date preference for the Toolp... <a href="#">More</a> |
|  | UG NX Model   |  | Yes   | Sets the mark out-of-date preference for the UG NX... <a href="#">More</a> |
|  | Viewable  |  | Yes   | Sets the mark out-of-date preference for the Viewa... <a href="#">More</a> |
|  | Checkin   |  |   | Windchill Workgroup Manager preferences for checki... <a href="#">More</a> |
|  | Auto Associate upon Check In                          |  | No  | Controls the default behavior whether or not to pe... <a href="#">More</a> |
|  | Collector   |  |   | Checkin Collector Rule Values  |
|  | Display collected objects                             |  | As a List   | Allow users to change the way collected objects ar... <a href="#">More</a> |
|  | Include dependent CAD Documents                       |  | All   | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
|  | Include dependent Parts                               |  | All   | Allow user to specify which dependent parts for th... <a href="#">More</a> |
|  | Include related CAD Documents                         |  | None  | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
|  | Include related Drawings                              |  | None  | Allow user to specify which drawings associated to... <a href="#">More</a> |
|  | Include related Parts                                 |  | None  | Allow user to specify which parts associated to th... <a href="#">More</a> |
|  | Conflict for Out of date Secondary content upon Ch... |  | Yes   | Controls the default behavior whether or not to pr... <a href="#">More</a> |
|  | Create As Stored                                      |  | Yes   | Specifies to create an As Stored configuration upo... <a href="#">More</a> |
|  | Create Baseline upon Check In                         |  | No  | Controls the default behavior whether or not to cr... <a href="#">More</a> |
|  | ModelCHECK Configuration                              |  | Default:check/default_che... <a href="#">More</a> | Specifies ModelCHECK Configuration files to be use... <a href="#">More</a> |
|  | ModelCHECK Number of Errors                           |  | 0   | Specifies the maximum number of ModelCHECK errors ... <a href="#">More</a> |
|  | ModelCHECK Number of Hours                            |  | 24  | Specifies the maximum allowable hours between a Mo... <a href="#">More</a> |
|  | ModelCHECK Validation                                 |  | No  | Specifies whether ModelCHECK validation is perform... <a href="#">More</a> |
|  | Remove objects from Workspace after Check In          |  | No  | Controls the default behavior whether or not to re... <a href="#">More</a> |
|  | Resolve Incomplete Objects                            |  | No  | Controls the default behavior whether or not to re... <a href="#">More</a> |
|  | Undo Check Out objects after Check In                 |  | No  | Controls the default behavior whether or not to pe... <a href="#">More</a> |
|  | Update Incomplete Objects on Server                   |  | Yes   | Controls the default behavior whether or not to up... <a href="#">More</a> |
|  | Create new workspace                                  |  |   | Windchill Workgroup Manager preferences for Create... <a href="#">More</a> |
|  | Additional valid characters on US English locale      |  | .- _  | Specifies additional valid characters in workspace... <a href="#">More</a> |
|  | Part centric dependency processing mode               |  | No  | Specifies part centric dependency processing mode... <a href="#">More</a>  |
|  | Edit Attributes                                       |  |   | Workgroup Manager preferences for Edit Attributes ... <a href="#">More</a> |
|  | Collector   |  |   | Edit Attributes Collector Rule Values                                      |
|  | Display collected objects                             |  | As a List   | Allow users to change the way collected objects ar... <a href="#">More</a> |
|  | Include dependent CAD Documents                       |  | None  | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
|  | Include dependent Parts                               |  | None  | Allow user to specify which dependent parts for th... <a href="#">More</a> |
|  | Include related CAD Documents                         |  | None  | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
|  | Include related Drawings                              |  | None  | Allow user to specify which drawings associated to... <a href="#">More</a> |
|  | Include related Family table objects                  |  | None  | Allow user to specify which family table objects r... <a href="#">More</a> |
|  | Include related Generics                              |  | None  | Allow user to specify which generics associated to... <a href="#">More</a> |
|  | Include related Parts                                 |  | None  | Allow user to specify which parts associated to th... <a href="#">More</a> |
|  | Edit Workspace Preferences                            |  |   | Workgroup Manager preferences for Edit Workspace P... <a href="#">More</a> |
|  | Allow Effectivity for CAD Documents                   |  | Yes   | Specifies whether effectivity configuration specif... <a href="#">More</a> |
|  | Export from Workspace                                 |  |   | Workgroup Manager preferences for Export from Work... <a href="#">More</a> |
|  | Collector   |  |   | Export from Workspace Collector Rule Values                                |
|  | Display collected objects                             |  | As a List   | Allow users to change the way collected objects ar... <a href="#">More</a> |
|  | Include dependent CAD Documents                       |  | Required  | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
|  | Include related Drawings                              |  | None  | Allow user to specify which drawings associated to... <a href="#">More</a> |
|  | Gathering (Core HTML Component)                       |  |   | Workgroup Manager preferences for Gathering (Core ... <a href="#">More</a> |
|  | Trace Drawing Optional Dependents                     |  | PerConfiguration                                  | Specifies as how to limit collecting drawing depen... <a href="#">More</a> |
|  | General   |  |   | General Windchill Workgroup Manager preferences                            |
|  | Custom Modeled Part Class                             |  | wt.part.WTPart                                    | Specifies a fully qualified class name for a custo... <a href="#">More</a> |
|  | Map File Extension to "Publication Source" Documen... |  | xml,sgml,html,txt,sgm,htm                         | Lists file extensions for dynamic documents that s... <a href="#">More</a> |
|  | New CAD document                                      |  |   | Windchill Workgroup Manager preferences for NewCAD... <a href="#">More</a> |



|  |  |                     |  |
|--|--|---------------------|--|
| Is Model Name Unique   |  | Yes                 | Specifies if CAD model name is unique for new CAD ... <a href="#">More</a> |
| Synchronize CAD Model Name with CAD Doc Number                         |  | No                  | Specifies if the CAD model name is synchronized wi... <a href="#">More</a> |
| <input type="checkbox"/> Preferences for Cad Doc Property Page         |  |                     | All preferences used in the Cad doc property page ... <a href="#">More</a> |
| Exclude Dependency Types For References Report                         |  |                     | Comma seperated dependency types to be excluded ar... <a href="#">More</a> |
| <input type="checkbox"/> Remove from Workspace                         |  |                     | Workgroup Manager preferences for Remove from Work... <a href="#">More</a> |
| <input type="checkbox"/> Collector                                     |  |                     | Remove from Workspace Collector Rule Values                                |
| Display collected objects  |  | As a List           | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents  |  | None                | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Parts  |  | None                | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents  |  | None                | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Drawings   |  | None                | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects                                   |  | None                | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics   |  | None                | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Parts  |  | None                | Allow user to specify which parts associated to th... <a href="#">More</a> |
| <input type="checkbox"/> Rename  |  |                     | Workgroup Manager preferences for Rename operation                         |
| <input type="checkbox"/> Collector                                     |  |                     | Rename Collector Rule Values   |
| Display collected objects  |  | As a List           | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents  |  | None                | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Parts  |  | None                | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents  |  | None                | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Drawings   |  | None                | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects                                   |  | None                | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics   |  | None                | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Parts  |  | None                | Allow user to specify which parts associated to th... <a href="#">More</a> |
| <input type="checkbox"/> Set State                                     |  |                     | Workgroup Manager preferences for Set State operat... <a href="#">More</a> |
| <input type="checkbox"/> Collector                                     |  |                     | Set State Collector Rule Values  |
| Display collected objects  |  | As a List           | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents  |  | None                | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Parts  |  | None                | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents  |  | None                | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Drawings   |  | None                | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects                                   |  | None                | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics   |  | None                | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Parts  |  | None                | Allow user to specify which parts associated to th... <a href="#">More</a> |
| <input type="checkbox"/> Undo Check Out                                |  |                     | Workgroup Manager preferences for Undo Check Out o... <a href="#">More</a> |
| <input type="checkbox"/> Collector                                     |  |                     | Undo Check Out Collector Rule Values                                       |
| Display collected objects  |  | As a List           | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents  |  | Required            | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Parts  |  | None                | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents  |  | None                | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Drawings   |  | None                | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects                                   |  | None                | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics   |  | None                | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Parts  |  | None                | Allow user to specify which parts associated to th... <a href="#">More</a> |
| <input type="checkbox"/> Update  |  |                     | Windchill Workgroup Manager preferences for update... <a href="#">More</a> |
| Add Primary Contents to Workspace                                      |  | DOWNLOAD            | Controls the default behavior whether content shou... <a href="#">More</a> |
| <input type="checkbox"/> Collector                                     |  |                     | Update Collector Rule Values   |
| Display collected objects  |  | As a List           | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents  |  | Required            | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Parts  |  | None                | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related CAD Documents  |  | None                | Allow user to specify which CAD Documents associat... <a href="#">More</a> |
| Include related Drawings   |  | None                | Allow user to specify which drawings associated to... <a href="#">More</a> |
| Include related Family table objects                                   |  | None                | Allow user to specify which family table objects r... <a href="#">More</a> |
| Include related Generics   |  | None                | Allow user to specify which generics associated to... <a href="#">More</a> |
| Include related Parts  |  | None                | Allow user to specify which parts associated to th... <a href="#">More</a> |
| <input type="checkbox"/> Upload  |  |                     | Workgroup Manager preferences for Upload operation                         |
| <input type="checkbox"/> Collector                                     |  |                     | Upload Collector Rule Values   |
| Display collected objects  |  | As a List           | Allow users to change the way collected objects ar... <a href="#">More</a> |
| Include dependent CAD Documents  |  | All                 | Allow user to specify which dependent CAD Document... <a href="#">More</a> |
| Include dependent Parts  |  | None                | Allow user to specify which dependent parts for th... <a href="#">More</a> |
| Include related Drawings   |  | None                | Allow user to specify which drawings associated to... <a href="#">More</a> |
| <input type="checkbox"/> Workgroup Manager Table (Core HTML Component) |  |                     | Workgroup Manager preferences for JavaScript based... <a href="#">More</a> |
| Position Scrollbar On Left Side  |  | Yes                 | Specifies if scrollbar in Windchill Workgroup Mana... <a href="#">More</a> |
| <input type="checkbox"/> Workspace                                     |  |                     | Workgroup Manager preferences for Workspace                                |
| Workspace Display  |  | All items           | Controls the default display of Workspace listing ... <a href="#">More</a> |
| <input type="checkbox"/> Workflow                                      |  |                     | Workflow Preferences.  |
| Delete Completed WorkItems preference                                  |  | 100                 | Indicates the number of completed WorkItems to be ... <a href="#">More</a> |
| Workflow Process Manager Link Display                                  |  | Administrators only | Enables workflow process manager link on workflow ... <a href="#">More</a> |

